Welcome to STN International! Enter x:x LOGINID: SSSPTA1621MXW PASSWORD: TERMINAL (ENTER 1, 2, 3, OR ?):2 Welcome to STN International Web Page URLs for STN Seminar Schedule - N. America NEWS 1 NEWS 2 Apr 08 "Ask CAS" for self-help around the clock NEWS 3 Apr 09 BEILSTEIN: Reload and Implementation of a New Subject Area NEWS 4 Apr 09 ZDB will be removed from STN NEWS 5 Apr 19 US Patent Applications available in IFICDB, IFIPAT, and IFIUDB NEWS 6 Apr 22 Records from IP.com available in CAPLUS, HCAPLUS, and ZCAPLUS NEWS 7 Apr 22 BIOSIS Gene Names now available in TOXCENTER NEWS 8 Apr 22 Federal Research in Progress (FEDRIP) now available NEWS 9 Jun 03 New e-mail delivery for search results now available NEWS 10 Jun 10 MEDLINE Reload NEWS 11 Jun 10 PCTFULL has been reloaded NEWS 12 Jul 02 FOREGE no longer contains STANDARDS file segment NEWS 13 Jul 22 USAN to be reloaded July 28, 2002; saved answer sets no longer valid NEWS 14 Jul 29 Enhanced polymer searching in REGISTRY NEWS 15 Jul 30 NETFIRST to be removed from STN NEWS 16 Aug 08 CANCERLIT reload NEWS 17 Aug 08 PHARMAMarketLetter(PHARMAML) - new on STN NEWS 18 Aug 08 NTIS has been reloaded and enhanced NEWS 19 Aquatic Toxicity Information Retrieval (AQUIRE) Aug 19 now available on STN NEWS 20 Aug 19 IFIPAT, IFICDB, and IFIUDB have been reloaded NEWS 21 Aug 19 The MEDLINE file segment of TOXCENTER has been reloaded NEWS 22 Aug 26 Sequence searching in REGISTRY enhanced NEWS 23 Sep 03 JAPIO has been reloaded and enhanced NEWS 24 Sep 16 Experimental properties added to the REGISTRY file NEWS 25 Sep 16 Indexing added to some pre-1967 records in CA/CAPLUS NEWS 26 Sep 16 CA Section Thesaurus available in CAPLUS and CA NEWS 27 Oct 01 CASREACT Enriched with Reactions from 1907 to 1985 NEWS 28 Oct 21 EVENTLINE has been reloaded NEWS 29 Oct 24 BEILSTEIN adds new search fields NEWS 30 Oct 24 Nutraceuticals International (NUTRACEUT) now available on STN NEWS 31 Oct 25 MEDLINE SDI run of October 8, 2002 NEWS EXPRESS October 14 CURRENT WINDOWS VERSION IS V6.01, CURRENT MACINTOSH VERSION IS V6.0a(ENG) AND V6.0Ja(JP), AND CURRENT DISCOVER FILE IS DATED 01 OCTOBER 2002 STN Operating Hours Plus Help Desk Availability NEWS HOURS General Internet Information NEWS INTER NEWS LOGIN Welcome Banner and News Items NEWS PHONE Direct Dial and Telecommunication Network Access to STN

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific

CAS World Wide Web Site (general information)

research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 14:24:37 ON 13 NOV 2002

=> file registry
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 14:24:45 ON 13 NOV 2002 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2002 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 11 NOV 2002 HIGHEST RN 473219-67-9 DICTIONARY FILE UPDATES: 11 NOV 2002 HIGHEST RN 473219-67-9

TSCA INFORMATION NOW CURRENT THROUGH MAY 20, 2002

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. See HELP PROPERTIES for more information. See STNote 27, Searching Properties in the CAS Registry File, for complete details: http://www.cas.org/ONLINE/STN/STNOTES/stnotes27.pdf

=>
Uploading 09699679a.str

L1 STRUCTURE UPLOADED

=> d L1

L1 HAS NO ANSWERS

L1 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s L1 sss sam

SAMPLE SEARCH INITIATED 14:25:16 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 6698 TO ITERATE

14.9% PROCESSED 1000 ITERATIONS INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED) SEARCH TIME: 00.00.02 0 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 129057 TO 138863

Λ

L2 0 SEA SSS SAM L1

=> s L1 sss full

FULL SEARCH INITIATED 14:25:29 FİLE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 134206 TO ITERATE

100.0% PROCESSED 134206 ITERATIONS

5 ANSWERS

SEARCH TIME: 00.00.08

L3 5 SEA SSS FUL L1

=> d L3 1-5

L3 ANSWER 1 OF 5 REGISTRY COPYRIGHT 2002 ACS

RN 251639-98-2 REGISTRY

CN Hexadecanamide, 2,4-bis[(1-oxohexadecyl)amino]butanoyl-L-isoleucyl-L-arginyl-L-isoleucyl-L-glutaminyl-L-arginylglycyl-L-prolylglycyl-L-arginyl-L-alanyl-L-phenylalanyl-L-valyl-L-threonyl-L-isoleucylglycyl-L-lysyl-2-amino-(9CI) (CA INDEX NAME)

FS PROTEIN SEQUENCE; STEREOSEARCH

MF C131 H237 N31 O22

SR C

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.

PAGE 1-A

PAGE 1-C

 \sim NH2

PAGE 2-A

Me (CH₂)
$$14$$
 NH R NH

1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

L3 ANSWER 2 OF 5 REGISTRY COPYRIGHT 2002 ACS

RN 251346-41-5 REGISTRY

CN Hexadecanamide, 2,4-bis[(1-oxohexadecyl)amino]butanoyl-L-threonyl-L-tyrosyl-L-glutaminyl-L-arginyl-L-isoleucyl-L-arginyl-L-alanyl-L-leucyl-L-valyl-L-threonylglycyl-2-amino- (9CI) (CA INDEX NAME)

FS PROTEIN SEQUENCE; STEREOSEARCH

MF C108 H196 N22 O19

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.

(CH₂)₁₃

1 REFERENCES IN FILE CA (1962 TO DATE)

1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

L3 ANSWER 3 OF 5 REGISTRY COPYRIGHT 2002 ACS

RN 248602-51-9 REGISTRY

CN L-Lysine, (2S)-2,4-bis[(1-oxohexadecyl)amino]butanoyl-L-lysyl- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C48 H94 N6 O6

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.

1 REFERENCES IN FILE CA (1962 TO DATE)

1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

L3 ANSWER 4 OF 5 REGISTRY COPYRIGHT 2002 ACS

RN 144315-69-5 REGISTRY

CN Hexadecanamide, (2S)-2,4-bis[(1-oxohexadecyl)amino]butanoyl-L-isoleucyl-L-arginyl-L-isoleucyl-L-arginylglycyl-L-prolylglycyl-L-arginyl-L-alanyl-L-phenylalanyl-L-valyl-L-threonyl-L-isoleucylglycyl-L-lysyl-2-amino-(9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN L-Lysinamide, N2,N4-bis(1-oxohexadecyl)-L-2,4-diaminobutanoyl-L-isoleucyl-L-arginyl-L-isoleucyl-L-arginyl-L-arginylglycyl-L-prolylglycyl-L-arginyl-L-alanyl-L-phenylalanyl-L-valyl-L-threonyl-L-isoleucylglycyl-N-[1-(aminocarbonyl)pentadecyl]-

FS PROTEIN SEQUENCE; STEREOSEARCH

MF C131 H237 N31 O22

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

RELATED SEQUENCES AVAILABLE WITH SEQLINK

Absolute stereochemistry.

PAGE 1-B

 \sim NH₂

PAGE 2-A

Me (CH₂)
$$_{14}$$
 Me NH $_{14}$ NH $_{14}$ NH $_{14}$ NH $_{14}$ NH $_{14}$ NH

2 REFERENCES IN FILE CA (1962 TO DATE)

2 REFERENCES IN FILE CAPLUS (1962 TO DATE)

L3 ANSWER 5 OF 5 REGISTRY COPYRIGHT 2002 ACS

RN 144315-67-3 REGISTRY

CN Hexadecanamide, (2S)-2,4-bis[(1-oxohexadecyl)amino]butanoyl-L-threonyl-L-tyrosyl-L-glutaminyl-L-arginyl-L-threonyl-L-arginyl-L-alanyl-L-leucyl-L-valyl-L-threonylglycyl-2-amino- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Glycinamide, N2,N4-bis(1-oxohexadecyl)-L-2,4-diaminobutanoyl-L-threonyl-L-tyrosyl-L-glutaminyl-L-arginyl-L-threonyl-L-arginyl-L-alanyl-L-leucyl-L-valyl-L-threonyl-N-[1-(aminocarbonyl)pentadecyl]-

FS PROTEIN SEQUENCE

MF C106 H192 N22 O20

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

PAGE 1-B

2 REFERENCES IN FILE CA (1962 TO DATE)
2 REFERENCES IN FILE CAPLUS (1962 TO DATE)

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION

152.19

FULL ESTIMATED COST 151.98

FILE 'CAPLUS' ENTERED AT 14:31:09 ON 13 NOV 2002 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 13 Nov 2002 VOL 137 ISS 20 FILE LAST UPDATED: 12 Nov 2002 (20021112/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

CAS roles have been modified effective December 16, 2001. Please check your SDI profiles to see if they need to be revised. For information on CAS roles, enter HELP ROLES at an arrow prompt or use the CAS Roles thesaurus (/RL field) in this file.

=> s L3

L4 4 L3

=> d L4 ibib,abs,kwic

L4 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2002 ACS.

ACCESSION NUMBER: 19

1999:761437 CAPLUS

DOCUMENT NUMBER:

132:26812

TITLE:

Cytotoxic T lymphocyte-inducing lipopeptides and

methods of use

INVENTOR(S):

Boutillon, Christophe; Martinon, Frederic;

Sergheraert, Christian; Magne, Remy; Gras-Masse,

Helene; Gomard, Elisabeth; Tartar, Andre; Levy,

Jean-Paul

PATENT ASSIGNEE(S):

Institut Pasteur de Lille, Fr.

SOURCE:

U.S., 58 pp., Cont.-in-part of U.S. Ser. No. 477,419,

abandoned. CODEN: USXXAM

DOCUMENT TYPE:

Patent

LANGUAGE:

English

FAMILY ACC. NUM. COUNT:

PATENT	INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	. DATE
US 5993823	Α	19991130	US 1995-477420	19950607
FR 2670787	A1	19920626	FR 1990-15870	19901218
FR 2670787	B1	19950623		
EP 1065212	A2	20010103	EP 2000-117513	19911218
EP 1065212	A3	20010110		
R: AT, BE,	CH, DE	, DK, ES, FR,	GB, GR, IT, LI, I	LU, NL, SE
PRIORITY APPLN. INFO.	:		FR 1990-15870 A	19901218
			US 1991-810722 E	32 19911218
			US 1995-477419 E	32 19950607
			EP 1999-105773 P	A3 19911218

Cytotoxic lymphocyte-inducing lipopeptides comprising a peptide fragment AB having approx. between 10 and 40 amino acids and comprising at least one antigenic determinant and also comprising one or more chains derived from fatty acids and one or more modified steroid groups useful for immunizing a human or animal body against pathogenic agents such as viruses or parasites which fragment is preferably a fragment of the protein encoded by the ENV gene, by the NEF gene or by the GAG gene of HIV viruses.

REFERENCE COUNT:

5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

TТ 144315-68-4P 144315-71-9P 144315-72-0P 144332-12-7P 144332-13-8P 144387-65-5P 144637-00-3P 220712-74-3P 251346-40-4P

251346-41-5P 251639-98-2P 251956-24-8P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PEP (Physical, engineering or chemical process); PNU (Preparation, unclassified); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); PROC (Process); USES (Uses)

(cytotoxic T lymphocyte-inducing lipopeptides and methods of use)

=> d L4 2-4 ibib,abs,kwic

ANSWER 2 OF 4 CAPLUS COPYRIGHT 2002 ACS ACCESSION NUMBER: 1999:708651 CAPLUS

DOCUMENT NUMBER:

131:319900

TITLE:

Diagnostic/therapeutic agents comprising

membrane-forming amphiphilic lipopeptide-stabilized

gas microbubbles

INVENTOR (S):

Cuthbertson, Alan; Solbakken, Magne; Wolfe, Henry

Raphael

PATENT ASSIGNEE(S):

Marsden, John Christopher, UK; Nycomed Imaging A/S

PCT Int. Appl., 59 pp.

CODEN: PIXXD2

DOCUMENT TYPE:

Patent

LANGUAGE:

SOURCE:

English

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9955383	A2	19991104	WO 1999-GB1247	19990422

```
20000706
                      A3
        W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ,
            DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS,
            JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK,
            MN, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
            TR, TT, UA, UG, US, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU,
            TJ, TM
        RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK,
            ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
                                    CA 1999-2329778 19990422
    CA 2329778
                      AA
                           19991104
    EP 1073475
                      A2
                           20010207
                                         EP 1999-918154 19990422
        R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
            IE, FI
                                          JP 2000-545579 19990422
    JP 2002512986
                      T2
                           20020508
    AU 9936187
                      A1
                           19991116
                                          AU 1999-36187 19990423
                                          NO 2000-5382
                                                         20001026
                           20001218
    NO 2000005382
                     Α
                                       GB 1998-9084 A 19980428
PRIORITY APPLN. INFO.:
                                       WO 1999-GB1247 W 19990422
    Novel membrane-forming amphiphilic lipopeptides comprise one or more
    peptide moieties contq. 2-50 aminoacyl residues and one or more
    hydrocarbon chains contg. 5-50 carbon atoms. Such lipopeptides may be
    used in the formation of stabilized gas microbubble dispersions suitable
    for use as diagnostic and/or therapeutic agents, for example as ultrasound
    contrast agents. Perfluorobutane-contq. microbubbles were prepd. that
    used N-[3-(2-aminoethanamido)-5-[2-(n-hexadecyl)octadecanamido]benzoyl]gly
    cine (prepn. given) as the membrane-forming agent.
                   247231-44-3P 248602-51-9DP, reaction with
    247231-43-2P
    PEG-hexapeptide 248602-52-0P
                                     248602-53-1P 248602-59-7DP, reaction
    with palmitoylated-lysyllysine-PEG
    RL: SPN (Synthetic preparation); PREP (Preparation)
        (diagnostic/therapeutic agents comprising membrane-forming amphiphilic
       lipopeptide-stabilized gas microbubbles)
    ANSWER 3 OF 4 CAPLUS COPYRIGHT 2002 ACS
L4
ACCESSION NUMBER:
                       1999:119739 CAPLUS
DOCUMENT NUMBER:
                        130:195741
TITLE:
                        Cytotoxic T lymphocyte-inducing lipopeptides and use
                        as vaccines
INVENTOR(S):
                        Boutillon, Christophe; Martinon, Frederic;
                        Sergheraert, Christian; Magne, Remy; Gras-Masse,
                        Helene; Gomard, Elisabeth; Tartar, Andre; Levy,
                        Jean-paul
PATENT ASSIGNEE(S):
                        Institut National de La Sainte et de la Recherche
                        Medicale (INSERM), Fr.; Institut Pasteur; Institut
                        Pasteur de Lille
SOURCE:
                        U.S., 28 pp., Cont.-in-part of U.S. Ser. No. 810,722,
                        abandoned.
                        CODEN: USXXAM
DOCUMENT TYPE:
                        Patent
LANGUAGE:
                        English
FAMILY ACC. NUM. COUNT:
                        3
PATENT INFORMATION:
    PATENT NO.
                                         APPLICATION NO. DATE
                    KIND DATE
     -----------
                          _____
                                         ______
                                          US 1994-251472 19940531
    US 5871746
                           19990216
    FR 2670787
                      A1 19920626
                                          FR 1990-15870 19901218
    FR 2670787
                     B1 19950623
    EP 1065212
                                         EP 2000-117513 19911218
                     A2
                           20010103
    EP 1065212
                    A3 20010110
        R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE
```

US 6015564

Α

20000118

US 1999-248082 19990210

US 1991-810722 B2 19911218 EP 1999-105773 A3 19911218 US 1994-251472 A1 19940531 Cytotoxic lymphocyte-inducing lipopeptides comprising a peptide part AΒ having between 10 and 40 amino acids approx. and comprising at least one antigenic determinant. The lipopeptides also comprise one or more chains derived from fatty acids and one or more modified steroid groups. Said lipopeptides may be used for immunizing the human or animal body against pathogenic agents such as viruses or parasites. The peptide part may, in particular, be a fragment of the protein encoded by the ENV gene, by the NEF gene or by the GAG gene of HIV viruses. Thus, 2-tert-butyloxycarbonylaminohexadecanoic acid and 3.beta.-(2-carboxymethoxy)cholest-5-ene were synthesized and coupled to fragments of gp120 of HIV-1 LAV-BRU virus, and fragments of ENV protein of HIV virus for immunization. THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS REFERENCE COUNT: 8 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT 57-10-3DP, Hexadecanoic acid, conjugates, biological studies 7769-79-1DP, 2-Aminohexadecanoic acid, conjugates 30656-77-0DP, conjugates 59012-43-0DP, conjugates 59866-71-6DP, conjugates 78512-63-7DP, Pimelautide, conjugates 78513-43-6DP, Trimexantide, conjugates 114416-46-5DP, conjugates 130640-46-9DP, conjugates 144315-63-9DP, conjugates 144315-66-2P 144315-67-3P 144315-68-4P **144315-69-5P** 144315-70-8P 144315-71-9P 144315-72-0P 144315-84-4P 144332-12-7P 144332-13-8P 144332-14-9P 144332-15-0P 144387-65-5P 144637-00-3P 148618-15-9DP, conjugates 154756-82-8DP, conjugates 154756-83-9DP, conjugates 220689-63-4DP, conjugates 220689-64-5DP, conjugates 220689-65-6DP, conjugates 220689-66-7DP, conjugates 220689-67-8DP, conjugates conjugates 220712-57-2DP, conjugates 220712-74-3P 220689-68-9DP, 220712-76-5P RL: PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (cytotoxic T lymphocyte-inducing lipopeptides and use as vaccines for viral or parasitic infections) ANSWER 4 OF 4 CAPLUS COPYRIGHT 2002 ACS T.4 ACCESSION NUMBER: 1992:649893 CAPLUS DOCUMENT NUMBER: 117:249893 TITLE: Lipopeptides inducing cytotoxic T-lymphocytes and their use as vaccines INVENTOR(S): Boutillon, Christophe; Martinon, Frederic; Sergheraert, Christian; Magne, Remy; Gras-Masse, Helena; Gomard, Elisabeth; Tartar, Andre; Levy, Jean Paul Institut Pasteur de Lille, Fr.; Institut National de PATENT ASSIGNEE(S): la Sante et de la Recherche Medicale (INSERM) Eur. Pat. Appl., 32 pp. SOURCE: CODEN: EPXXDW DOCUMENT TYPE: Patent LANGUAGE: French FAMILY ACC. NUM. COUNT: 3 PATENT INFORMATION: PATENT NO. KIND DATE APPLICATION NO. DATE ______ ------A2 19920624 EP 491628 EP 1991-403446 19911218 EP 491628 A3 19920722 EP 491628 B1 19990929 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE 19901218 FR 2670787 A1 19920626 FR 1990-15870 FR 2670787 B1 19950623 CA 2057828 AA 19920619 JP 04295498 A2 19921020

PRIORITY APPLN. INFO.:

FR 1990-15870 A 19901218

CA 1991-2057828 19911217 JP 1991-335158 19911218

19911218 19990929 EP 1999-105773 EP 945461 A1 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE 19991015 AT 1991-403446 19911218 AT 185148 E ES 2137160 Т3 19991216 ES 1991-403446 19911218 EP 2000-117513 19911218 EP 1065212 20010103 A2 EP 1065212 -A3 20010110 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE PRIORITY APPLN. INFO.: FR 1990-15870 A 19901218 A3 19911218 EP 1991-403446

AB The title lipopeptides include a peptide of .apprx.10-40 amino acids having .gtoreq.1 antigenic determinant, as well as .gtoreq.1 chains derived from fatty acids and .gtoreq.1 modified steroid groups. The lipopeptides can be used for immunizing a human or animal against pathogenic agents, e.g. viruses or parasites. Lipopeptides contg., e.g., fragments of human immunodeficiency virus envelope protein gp120 are described (including cytotoxic T-lymphocyte activity).

IT 144315-68-4 **144315-69-5** 144315-70-8 144315-71-9

144315-72-0 144315-84-4 144332-13-8 144332-14-9 144332-15-0 144637-00-3

RL: BIOL (Biological study)

(human immunodeficiency virus glycoprotein gp120 fragment-derived lipopeptide, cytotoxic T-lymphocyte activity with, vaccine in relation to)

EP 1999-105773

A3 19911218

IT 144315-66-2 **144315-67-3** 144332-12-7

RL: BIOL (Biological study)

(influenza virus nucleoprotein fragment-derived lipopeptide, cytotoxic T-lymphocyte activity with, vaccine in relation to)

=> file stng · COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 11.48 163.67 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL SESSION ENTRY CA SUBSCRIBER PRICE -2.48 -2.48

FILE 'STNGUIDE' ENTERED AT 14:33:00 ON 13 NOV 2002
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: Nov 8, 2002 (20021108/UP).

=> d his

L4

(FILE 'HOME' ENTERED AT 14:24:37 ON 13 NOV 2002)

FILE 'REGISTRY' ENTERED AT 14:24:45 ON 13 NOV 2002

L1 STRUCTURE UPLOADED

L2 0 S L1 SSS SAM L3 5 S L1 SSS FULL

> FILE 'CAPLUS' ENTERED AT 14:31:09 ON 13 NOV 2002 4 S L3

FILE 'STNGUIDE' ENTERED AT 14:33:00 ON 13 NOV 2002